



AV8360

- 8 Mpixel 360° IP-camera sensitive to 0.2 lux @ F 2.0
- Panoramic Camera with Four 2 Megapixel Imagers

The AV8360 camera offers panoramic views and cinema compatible high frame rates to allow real time high definition digital video surveillance with 24 times the resolution of the best analog surveillance cameras.




GREAT HIGH RESOLUTION & FULL MOTION: AV8360 network camera delivers full motion progressive scan 1600 x 1200 video at 22 fps featuring massively-parallel MegaVideo® image processing architecture capable of sustaining over 6 billion operations per second.

GREAT COST EFFICIENCY: High resolution and crystal clear imagery allows the AV8360 to substitute up to 24 analog cameras; thereby reducing the total cost of installation. No need to supply a separate power source since the power can be drawn from a low cost Power-over-Ethernet switch.

GREAT FORENSIC ZOOMING: AV8360 surveillance system has the ability to zoom after the event from high resolutions digital archives and the simultaneous viewing of zoomed and full field of view images.

EXCELLENT MOTION DETECTION: Onboard real-time motion detection with size and sensitivity controls for up to 64 separate motion detection zones per channel.

**Day or Night
MegaVideo® Technology
Delivers Full Motion
HDTV Resolution
at NTSC Price**



**Images are taken with COMPUTER
CCTV Lenses 4.5mm focal length**

AV8360 Camera Specification

Imaging

- Four 2 Megapixel CMOS Image Sensors
- 1600(H) x 1200(V) pixel array each sensor
- ½" optical format
- 4.2 µm pixel pitch
- Bayer mosaic RGB filter
- Sensitivity 0.2 lux @ F2.0
- Dynamic Range 60 dB
- Maximum SNR 45 dB

Data Transmission

- Data Rate up to 55Mbps
- Video Frame Rate (all four channels in parallel):
88 fps @ 800 x 600
22 fps @ 1600 x 1200
- Motion JPEG with 21 levels of quality
- TFTP and HTTP Transmission Protocol
- 100Base-T Ethernet Network Interface

Programmability



Video Clips...



© 2007 Arecont Vision. All rights reserved. info@arecontvision.com